



Openings in Steel

Amarr® Residential Garage Doors





Openings in Steel. Express your style in steel. Amarr garage doors make it happen.

Exceptional performance, low maintenance and durability, available in eight steel collections.

From classic carriage house designs to contemporary flush panels,
get a striking look that stands the test of time.

- 1 COLORS
- 2 NORTHWOODS
- 4 CLASSICA® FLUSH
- 6 CLASSICA FULL VIEW
- 8 CLASSICA
- 10 CLASSICA & DECORATIVE HARDWARE OPTIONS
- 12 CARRIAGE COURT
- 14 CARRIAGE COURT OPTIONS
- 16 DESIGNER'S CHOICE
- 18 HILLCREST
- 20 HERITAGE®
- 22 OLYMPUS
- 24 LINCOLN
- 26 WINDOW & GLASS OPTIONS
- 27 COLOR ZONE & MOSAIC WINDOW OPTIONS
- 28 CONSTRUCTION OPTIONS
- 29 SPECIFICATIONS

AMARR COLORS

The garage door is the largest and most visible door on your home so choosing the right color is an important decision. Explore the many color options Amarr offers.

PLANK




CEDAR (CEP)




ASPEN GRAY (AGP)




DUAL-DIRECTIONAL WOODGRAIN



WEATHERED GRAY (WZ)



WALNUT (NT)



MAHOGANY (MY)




GOLDEN OAK (OK)

Bead Board design in Weathered Gray with Thames window inserts and Maple Creek handles and hinges




SOLID




TRUE WHITE
(TW)




ALMOND
(AL)



WICKER TAN
(WK)




SANDTONE
(ST)



TERRATONE
(TT)



DARK BROWN
(DN)



CHARCOAL
GRAY (EF)



BLACK
(BL)

COLOR ZONE



Amarr Color Zone

Over 800 Sherwin-Williams SnapDry™ paint colors – approved list is at amarr.com/amarr_color_zone. Check your local Sherwin-Williams store for paint chips.

See page 27 for more information



Actual colors may vary from samples shown. See specifications chart on page 29 of color availability by model. Amarr doors are pre-painted; homeowners can use exterior latex paint for custom colors. Visit amarr.com for painting instructions. Non-factory painting of garage door voids the paint finish warranty. Price upcharge applies to all colors except True White.



AMARR NORTHWOODS

The printed horizontal plank design on a ribbed section creates depth, texture and subtle dimension.

A perfect complement to modern, mid-century modern, and traditional architectural styles.

The multi-hued, digitally printed woodgrain pattern gives a more genuine wood appearance. Available with either traditional or mosaic window placement.




Designs

The Amarr Northwoods collection is a traditional door offered in Ribbed panel design in two digitally printed plank color options.

See page 29 for complete specifications.


NW3138

Triple-Layer:
1-3/8" Steel + Insulation
+ Steel



NEW NW3000

Triple-Layer:
2" Steel + Insulation +
Steel: 24ga




Cedar with SlimLine Windows



Aspen Gray with Long Panel Windows



Cedar with Long Panel Mosaic Window Option



Aspen Gray with SlimLine Windows



Cedar with Short Panel Windows



WINDOWS

Choose from standard Short Panel or Long Panel windows with color matched frames or the new SlimLine windows with Black frame.
See page 26 for glass options.

SHORT PANEL



LONG PANEL



SLIMLINE



Black frame only. Available in Clear, Frost, and Dark Tint single-pane or insulated glass.

COLORS

Pattern may vary from sample shown.



CEDAR (CEP)



ASPEN GRAY (AGP)



CLASSICA® FLUSH

Sleek and sophisticated. Amarr Classica Flush garage doors complement any modern architectural style home.

The flush design is ideal for homeowners who want a contemporary look with the taller panels of a 3-section door. Polyurethane insulation is energy efficient and helps moderate garage temperatures year round.



Designs

Unique three-section tall door with large windows allow maximum natural lighting.
See page 29 for complete specifications.

CL3000


Triple-Layer:
Steel + Insulation + Steel



Decorative Windows

Choose single-pane or insulated tempered glass options to best suit your needs.
See page 10 for window and glass options.

Charcoal Gray with Jardin Windows




Dark Brown with Clear Glass



Sandtone with Thames Windows



True White with Closed Top



Wicker Tan with Frost Glass



COLORS

Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.



TRUE WHITE
(TW)



ALMOND
(AL)



WICKER TAN
(WK)



SANDTONE
(ST)



TERRATONE
(TT)



CHARCOAL
GRAY (EF)



DARK BROWN
(DN)



BLACK
(BL)



See page 27 for
more information.



CLASSICA® FULL VIEW

Bring natural lighting indoors. The three-section tall Amarr Classica Full View garage door allows maximum natural lighting to your interior space with the largest windows available in any Amarr steel garage door. The modern design combined with polyurethane insulation provides years of energy efficient performance. Improve your view of the world with an Amarr Classica Full View door.



Designs

Unique three-section tall door with large windows allow maximum natural lighting.
See page 29 for complete specifications.

CL3000

Triple-Layer: Steel + Insulation + Steel


Decorative Windows

Choose single-pane or insulated tempered glass options to best suit your needs.
See page 10 for window and glass options.

Black with Dark Tint Glass



Charcoal Gray with Frost Glass




Sandtone with Clear Glass



Dark Brown with Frost Glass



Weathered Gray with Obscure Glass



COLORS

Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.



TRUE WHITE
(TW)



ALMOND
(AL)



WICKER TAN
(WK)



SANDTONE
(ST)



TERRATONE
(TT)



CHARCOAL
GRAY (EF)



DARK BROWN
(DN)



BLACK
(BL)



WEATHERED
GRAY (WZ)



GOLDEN OAK
(OK)



WALNUT
(NT)



MAHOGANY
(MY)



See page 27 for
more information.

Not available in odd heights.

Northampton design with Madeira windows in Walnut with Canterbury handles and hinges



CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel.

The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Santiago design with Madeira windows in True White/Gray with Blue Ridge handles and hinges



Designs

Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 29 for complete specifications.

CL1000

Single-Layer: Steel


CL2000

Double-Layer:
Steel + Insulation



CL3000

Triple-Layer:
Steel + Insulation +
Steel



Decorative Windows & Hardware


Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, adds character to your door.

See pp. 10-11 for glass, window, and hardware options.


Northampton with Thames Windows (N10)



Bordeaux with Closed Square (B2)



Santiago with Seine Windows (S8)



Tuscany with Closed Arch (T1)




Lucern with Rhine Windows (L7)




DESIGNS


Lucern (L)




Tuscany (T)




Santiago (S)




Valencia (V)



Northampton (N)




Bordeaux (B)



Not available in odd heights.

Cortona (C)



Not available with Arched top.

COLORS

Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.



TRUE WHITE
(TW)



ALMOND
(AL)



WICKER TAN
(WK)



SANDTONE
(ST)



TERRATONE
(TT)



CHARCOAL
GRAY (EF)



DARK BROWN
(DN)



BLACK
(BL)



WEATHERED
GRAY (WZ)



GOLDEN OAK
(OK)*



WALNUT
(NT)



MAHOGANY
(MY)



See page 27 for
more information.

* Odd heights not available in CL1000/CL2000.

CLASSICA® & DECORATIVE HARDWARE OPTIONS

TWO-TONE PAINT OPTIONS*

PANEL	BASE DOOR							
	TRUE WHITE	ALMOND	WICKERTAN	SANDTONE	TERRATONE	CHARCOAL GRAY	DARK BROWN	BLACK
TRUE WHITE								
ALMOND								
WICKERTAN								
SANDTONE								
TERRATONE								
CHARCOAL GRAY								
DARK BROWN								
BLACK								
HUNTER GREEN								
GRAY								

*Price upcharge applies.

Cortona design in Sandtone/Terratone



TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1), SANTIAGO (S1), LUCERN (L1), VALENCIA (V1)



CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2)



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED SQUARE • NORTHAMPTON (N2)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • BORDEAUX (B2)




CLOSED SQUARE • CORTONA (C2)



JARDIN (75)*



TRELLIS (76)*



*Tempered obscure glass with baked-on ceramic design.
Design visibility varies due to lighting.

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.


Tuscany design in True White/Almond



Santiago design in Dark Brown/Terratone



NO INSERT



DANUBE (4)†



MADEIRA (5)†



NILE (6)†



RHINE (7)†



SEINE (8)†



THAMES (10)†



†Window inserts shown on Clear glass.
Design also available with Obscure, Frost or Dark Tint glass.

GLASS OPTIONS

Insulated glass* available in Clear, Frost and Dark Tint.

CLEAR (C)



OBSCURE (O)*



FROST (WF)*



DARK TINT (WD)*



*Price upcharge applies.

DECORATIVE HARDWARE & LOCK

ALUMINUM

Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage¹ and Hillcrest collections.

9" HANDLES



18" STRAP HINGES WITH CLAVOS*



11" L-HINGE WITH CLAVOS*



VERSAILLES

10-1/2" HANDLE†



17" STRAP HINGES WITH CLAVOS*



3-1/2" RING HANDLES



CANTERBURY

*Hinges with Clavos not recommended for arched openings. †Not for use with high lift installations.

STAMPED STEEL

Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage¹ and Hillcrest collections.

11" HANDLES



16" STRAP HINGES



11" HANDLES



BLUE RIDGE

AMARR LOCK

Available for Amarr Heritage[†],
Lincoln, and Olympus collections.

ALPINE

MAGNETIC ABS VINYL

Available for Amarr, Classica, Designer's Choice, Heritage¹ and Hillcrest collections.

12" HANDLES



16" STRAP HINGES



11" HANDLES



18" STRAP HINGES



CASTLE ROCK

MAPLE CREEK

4" RING HANDLES
(with removable backer plate)



18" STRAP HINGES



1-3/4" CLAVOS



NOTTINGHAM

CLAVOS

¹Carriage house designs only. [†]Traditional designs only.



CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.



Designs

A wide variety of unique carriage house designs available in four color options.
See page 29 for complete specifications.

CC4000

Four-Layer:
Overlay + Steel +
Insulation + Steel




Decorative Windows & Hardware

Choose from a variety of optional decorative windows & hardware to match your home's design.
See page 11 for window and hardware options.


Rosemont with Closed Square (RM104)




Darby with Closed Square (DB104)




Bradberry with 3 Lite Arch (BB110)



Charlton with Closed Arch (CT105)




Laurelbay with Clear Square (LB115)




DESIGNS

AVAILABLE WITH WINDOWS



NOT AVAILABLE WITH WINDOWS



* Closed Square only.

CARRIAGE COURT OPTIONS


TOP SECTIONS

Available with Clear, Obscure or Insulated glass.


Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT and SEABROOK with CLEAR, OBSCURE* or INSULATED* glass.

*Price upcharge applies.


CLOSED SQUARE (104)




CLOSED ARCH (105)




CLEAR SQUARE (115)




CLEAR ARCH (114)




3 LITE SQUARE (106)




3 LITE ARCH (110)




4 LITE SQUARE (107)




4 LITE ARCH (111)




6 LITE SQUARE (112)




6 LITE ARCH (108)



8 LITE SQUARE (113)




8 LITE ARCH (109)




Available for ARCADIAt, ASHLEY, BROOKLAND†, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIAt, MIDDLETON, NEWBERRY, RAVENWOOD† and TANGLEWOOD

†Closed Square only.


CLOSED SQUARE (104)



CLOSED ARCH (105)



CONSTRUCTION



CC4000

Four-Layer:
Overlay + Steel + Insulation + Steel

- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and 5/8" composite overlay trim

OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Square edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with square edges
- Available in Clear, Clear Insulated[†] or Obscure[‡] glass.

[‡]Price upcharge applies.

COLORS

Actual paint colors may vary from samples shown.



TRUE WHITE / WHITE (W1)



ALMOND / WHITE (A1)



SANTONE / WHITE (S1)



WICKER TAN / WHITE (K1)

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.


DOOR WIDTHS

Only available in widths shown; not available in odd widths

6' WIDE*




12', 14' & 15' WIDE



8', 9' & 10' WIDE



15'6", 15'8", 16' & 18' WIDE



*Available in Ashley, Charlton, Greenbriar and Laurel Bay (no window options).

DOOR HEIGHTS

Available in 6'6" - 10' heights in 3" increments[†]

7' and 8' TALL



9' TALL



10' TALL



[†]Rosemont not available in 8'3", 8'9", 9'3" and 9'9".
[†]Tanglewood not available in 6'3" and 7'3" door heights.

WARRANTY

- Lifetime limited warranty on finish
- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

Newberry design with Closed Square in Sandtone/White with Canterbury decorative handles





DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models.

With triple-layer construction and superior insulation R-value of 19.40*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Recessed design with Stockton DecraTrim in Black



Designs

The Amarr Designer's Choice model is available in three carriage house designs and eight color options.

See page 29 for complete specifications.

DC3138*

1-3/8" Triple-Layer:
Steel + Insulation + Steel

*DC3138 only available in Bead Board design in 8', 9' and 16' wide doors.



DC3200

2" Triple-Layer:
Steel + Insulation + Steel

† True White Bead Board only.
13.35 R-value for all other panels and colors.



Decorative Windows & Hardware

Choose from DecraTrim inserts or DecraGlass† windows to best coordinate with your home.

See page 26 for window and glass options.
For decorative hardware, see page 11.

†Available for DC3200 only.

Bead Board with Cascade DecraTrim (BB23)



Long Bead Board with Stockton DecraTrim (LPBB20)




Recessed Closed (RE)



Bead Board with Victorian DecraGlass (BB54)




Recessed with Moonlite DecraTrim (RE24)




DESIGNS


Bead Board (BB)*



Long Bead Board (LPBB)



Recessed (RE)



*DC3138 only available in Bead Board design in 8', 9' and 16' wide doors.

COLORS



Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.

DC3138 only available in
True White and Color Zone.

Bead Board design with Cascade DecraTrim in True White with Blue Ridge handles



HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles.

You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest. Value is a beautiful thing.

Recessed design with Thames DecraTrim in Sandtone with Alpine handles



Designs

The Amarr Hillcrest collection is available in three carriage house designs with a wide range of color options.

See page 29 for complete specifications.

HI1000

Single-Layer: Steel

HI2000

Double-Layer:
Steel + Insulation



HI3138

1-3/8" Triple-Layer:
Steel + Insulation + Steel




HI3000

2" Triple-Layer:
Steel + Insulation + Steel



Long Bead Board with Closed Square (LPBB)



Bead Board with Waterford DecraTrim (BB25)



Recessed with Stockton DecraTrim (RE20)



Bead Board with Cascade DecraTrim (BB23)




Recessed with Frost Glass (REWF)




DESIGNS


Bead Board (BB)



Long Bead Board (LPBB)



Recessed (RE)



COLORS



TRUE WHITE
(TW)



ALMOND
(AL)



WICKER TAN
(WK)



SANDTONE
(ST)



TERRATONE
(TT)



DARK BROWN
(DN)



CHARCOAL
GRAY (EF)



BLACK
(BL)



WEATHERED GRAY
(WZ)



WALNUT
(NT)



MAHOGANY
(MY)



See page 27 for
more information.

Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.

Long Panel design with Trellis DecraGlass in Sandtone



HERITAGE®

Style and beauty that stand the test of time. Choose from traditional or carriage house designs to create the steel garage door you always wanted.

The Amarr Heritage collection provides a low-maintenance, 2" thick steel door with a lifetime warranty. Great looks for years to come.

Long Bead Board design with Moonlite DecraTrim in True White with Blue Ridge handles and hinges



Designs

The Amarr Heritage collection is available in a variety of traditional and carriage house panel designs and colors.

See page 29 for complete specifications.

HR1000

Single-Layer: Steel


HR2000

Double-Layer:
Steel + Insulation



HR3000

Triple-Layer:
Steel + Insulation + Steel




Decorative Windows & Hardware

Choose from DecraGlass, DecraTrim window inserts or SlimLine windows to coordinate with your home. SlimLine windows available for HR3000 Flush and Ribbed panel designs.

See page 26 for window and glass options. For decorative lock and hardware options, see page 11.


Flush Panel (FP)* with SlimLine Clear Insulated Windows



Short Panel with Short Panel Obscure Windows (SP71)



Long Panel with Moonlite DecraTrim (LP24)



Recessed with Thames DecraTrim (RE30)




Bead Board with Mission DecraGlass (BB71)




DESIGNS

CARRIAGE HOUSE


Bead Board (BB)



Long Bead Board (LPBB)




Recessed (RE)




TRADITIONAL

Short Panel (SP)




Long Panel (LP)



Flush Panel (FP)*



Ribbed Panel (RP)*



*Available in HR3000 only.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



*Available Summer 2024.

Woodgrain finishes are dual directional for all panel designs.

MOSAIC WINDOW OPTIONS

With Mosaic Window Options for traditional designs, you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



Short Panel design with Stockton DecraTrim in True White



O L Y M P U S

When it comes to ultimate protection, the Amarr Olympus stands tall.

With triple-layer construction and superior insulation R-value of 19.40*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design in Black with Long Panel Clear windows




Designs

The Amarr Olympus model is available in Short, Long, and Flush panel designs and your choice of eight color options. See page 29 for complete specifications.

OL3138*

1-3/8" Triple-Layer:
Steel + Insulation + Steel

*OL3138 only available in Short and Flush panel designs in 8', 9' and 16' wide doors.



OL3200

2" Triple-Layer:
Steel + Insulation + Steel

†OL3200 Short and Flush Panel True White only. R-value rating for other colors and panels 13.35; U-factor rating currently unavailable for all other colors and panels.



Decorative Windows

Choose from DecraTrim inserts or DecraGlass† windows to best coordinate with your home. See page 26 for window and glass options.

†Available for OL3200 only.

Short Panel with Prairie DecraTrim (SP21)



Long Recessed with Stockton DecraTrim (LR20)



Long Panel with full Long Panel Windows (LP)



Short Panel with Heartland DecraGlass (SP70)




Flush Panel with Mosaic Clear Windows (FP0)




DESIGNS


Short Panel (SP)*



Long Panel (LP)



Flush Panel (FP)*



Long Recessed (LR)†



*OL3138 only available in Short and Flush Panel designs in 8', 9' and 16' wide doors.

Flush Panel available in True White and Color Zone only.

†Available in OL3200 only.

MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



TRUE WHITE (TW)



ALMOND (AL)



WICKER TAN (WK)



SANDTONE (ST)



DARK BROWN (DN)



BLACK (BL)



WALNUT (NT)



MAHOGANY (MY)



See page 27 for more information.

OL3138 only available in True White and Color Zone.



L I N C O L N

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware.

Along with a variety of decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.



Designs

The Amarr Lincoln collection is a traditional door offered in Short, Long, Flush, or Ribbed panel designs and a wide range of color options.

See page 29 for complete specifications.

Short Panel with Victorian DecraGlass (SP54)



LI1000

Single-Layer: Steel


LI2000

Double-Layer:
Steel + Insulation



LI3138

1-3/8" Triple-Layer:
Steel + Insulation + Steel



LI3000

2" Triple-Layer:
Steel + Insulation + Steel



Long Panel with Cascade DecraTrim (LP23)




Decorative Windows

Choose from DecraTrim window inserts, DecraGlass, or SlimLine windows to coordinate with your home's design. SlimLine windows only available for LI3138/LI3000 Flush and Ribbed panel designs.

See page 26 for window and glass options.

Flush Panel (FP) with SlimLine Clear Insulated Windows



Ribbed Panel (RP) with Long Panel Clear Windows




Short Panel with Prairie DecraTrim (SP21)




DESIGNS


Short Panel (SP)



Long Panel (LP)



Flush Panel (FP)



Ribbed Panel (RP)



Ribbed Panel available in LI3138 and LI3000 only.

MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



TRUE WHITE (TW)*



ALMOND (AL)*



WICKER TAN (WK)



SANDTONE (ST)*



TERRATONE (TT)



DARK BROWN (DN)*



CHARCOAL GRAY (EF)



BLACK (BL)



WEATHERED GRAY (WZ)



WALNUT (NT)



MAHOGANY (MY)



See page 27 for more information.

* Available in LI1000/LI2000 Flush Panel with Stucco texture.

WINDOW & GLASS OPTIONS

DECRA TRIM WINDOW INSERTS

Available with all glass options.



SHORT PANEL

Available for Amarr Heritage, Lincoln, and Olympus collections.

LONG PANEL

Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln, and Olympus collections.

NO INSERT




STOCKTON (20)



PRAIRIE (21)



CATHEDRAL (22)



CASCADE (23)



WATERFORD (25)



WAGON WHEEL (26)



SUNRAY (27)



FULL SUNRAY (28) Short Panel



FULL SUNRAY (28) Long Panel

Available for 16", 17", and 18" widths only.



FIVE PIECE SUNRAY (29) for 10" Short Panel Door



Available for 15 1/4", 15 1/2", 16", 17", and 18" widths only.

Available only in True White.

THAMES (30) Long Panel



ARCHED THAMES (31) Long Panel



MOONLITE (24) Long Panel



GLASS OPTIONS

Insulated glass* available in Clear, Frost and Dark Tint.


CLEAR (C)



OBSCURE (O)*



FROST (WF)*



DARK TINT (WD)*



*Price upcharge applies.

DECRA GLASS™ WINDOWS

Tempered obscure glass with baked-on ceramic designs.

SHORT PANEL

Available for Amarr Heritage, Lincoln, and Olympus collections.

LONG PANEL

Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln, and Olympus collections.

HEARTLAND (70)




JARDIN (75)



MISSION (71)



TRELLIS (76)



VICTORIAN (54)



DecraTrim and DecraGlass design visibility varies due to lighting.

SLIMLINE WINDOW NEW



SlimLine window size is the same width and half the height of a standard Long Panel window.

Available in black or white frames only. Available for Heritage HR3000, Lincoln LI3138/LI3000 Flush and Ribbed Panel designs only, Northwoods NW3138/NW3000 (Black frame only). Available in Clear, Frost and Dark Tint single-pane or insulated glass.

Flush Panel design in Black with Obscure glass Mosaic Window Option



COLOR ZONE & MOSAIC WINDOW OPTIONS

COLOR ZONE



Embrace your inner designer. Amarr's Color Zone is a factory-applied option available on most steel garage doors. This color option that allows homeowners to color match the exterior features of their homes from shutters and trim to their front door. For the commercial market, Amarr Color Zone creates a unique lasting first impression on our wide selection of industrial doors.

- Available on all* Amarr residential or commercial steel overhead doors up to 20' wide.
- In a multi-step process, your chosen color is applied as a top coat to Amarr pre-painted, galvanized steel sections giving your door one more layer of protection from the elements.
- Sherwin-Williams® SnapDry™ paint is resistant to dirt, fingerprints, and UV weathering.
- Choose from more than 800 approved Sherwin-Williams SnapDry paint colors. Approved list is at amarr.com/amarr_color_zone.
- Your local Sherwin-Williams store can provide you with paint chips of selected colors to help you decide.








* Not available on Amarr Carriage Court

MOSAIC WINDOW OPTIONS

Release your creativity with Mosaic Window options. Give your contemporary, mid-century modern or transitional home a fresh look that is uniquely you. Create a unique look by choosing how many windows you want and where to place them! Just like your home, your garage door should reflect your personal style. Three easy decisions give you the garage door of your dreams.

- Choose your door – available with traditional collections; Heritage®, Lincoln, Northwoods, and Olympus.
- Choose your design – available with all panel designs; Short, Long, Flush* and Ribbed[†] panels.
- Create your design with SlimLine, short or long panel windows in clear, frost, obscure or dark tint glass.

Flush Panel design in Wicker Tan with Obscure glass



*Available in Heritage HR3000, Lincoln LI1000/LI2000/LI3138/LI3000 and Olympus OL3200 only.

[†]Available in Heritage HR3000, Lincoln LI3138 and Northwoods NW3138 only.

AMARR CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

SINGLE-LAYER: Steel

Amarr Classica, Heritage, Hillcrest, & Lincoln


- Heavy-duty exterior steel
- Durable, reliable, low maintenance



DOUBLE-LAYER: Steel + Insulation

Amarr Classica, Heritage, Hillcrest, & Lincoln







- Heavy-duty exterior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- Quiet operation



TRIPLE-LAYER: Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln, & Olympus

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene or polyurethane thermal insulation
- Superior energy efficiency
- Extra quiet operation




* True White Bead Board only.
 ** All panels and colors except True White Bead Board.
 † Short Panel True White and Flush Panel True White and Black only.
 ‡ R-value rating for other colors and panels 13.35 except Short Panel True White and Flush Panel True White and Black; U-factor rating currently unavailable for all other colors and panels.

FOUR-LAYER: Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- Energy efficient
- Extra quiet operation



Amarr Classica Tuscany design with Rhine windows in True White

VERIFIED THERMAL PERFORMANCE

Amarr participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of a complete sectional door assembly.

What is U-factor?

U-factor is a measurement of heat transfer or flow through a material, in our case, a sectional door. **A lower U-factor rating indicates less heat transfer and better thermal performance.**

Why U-factor?

The U-factor values are determined by the testing of a complete door assembly, including insulation, thermal breaks, and window variables and are more accurate than calculated ratings for only a portion of an insulated section.



This symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating.



SPECIFICATIONS

PANEL DESIGNS	NORTHWOODS NW3138	NORTHWOODS NW3000	CLASSICA CL3000	CLASSICA CL1000	CLASSICA CL2000	CLASSICA CL3000	CARRIAGE COURT CC4000	DESIGNER'S CHOICE DC3138	DESIGNER'S CHOICE DC3200	HILLCREST HI1000	HILLCREST HI2000	HILLCREST HI3138	HILLCREST HI3000	HERITAGE HR1000	HERITAGE HR2000	HERITAGE HR3000	OLYMPUS OL3138	OLYMPUS OL3200	LINCOLN LI1000	LINCOLN LI2000	LINCOLN LI3138	LINCOLN LI3000
Short																	TW					
Long																						
Flush																	TW					
Ribbed																						
Long Recessed																						
Carriage House																						
CONSTRUCTION LAYERS	3	3	3	1	2	3	4	3	3	1	2	3	3	1	2	3	3	3	1	2	3	3
Steel																						
Steel + Insulation																						
Steel + Insulation + Steel																						
Overlay + Steel + Insulation + Steel																						
DOOR THICKNESS	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)
INSULATION	Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane	Polystyrene ¹	Polyurethane	Polystyrene ¹	Polyurethane	Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane	Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polystyrene ¹
U-FACTOR ²	0.27	0.26	0.22		0.32	0.22	0.26	0.24	0.19*			0.27	0.23		0.43	0.26	0.24	0.19 [†]		0.32	0.27	0.23
R-VALUE ³	6.48	9.05	13.35 ⁶	13.35 ⁹	6.64	13.35	6.48	14.46	19.40/13.35**			6.48	9.05		6.64	9.05	14.46	19.40/13.35 ⁶		6.64	6.48	9.05
STEEL THICKNESS																						
Gauge (ga)	27/27 ga	24/27 ga	25/27 ga	25/27 ga	24 ga	25/27 ga	27/27 ga	27/27 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	27/27 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga
Gauge (mm)	0.42/0.42mm	0.61/0.42mm	0.53/0.42mm	0.53/0.42mm	0.61mm	0.53/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.42/0.42mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm
WOODGRAN EXTERIOR TEXTURE																						
GALVANIZED END STILES																						
PAINTED END STILES																						
THERMAL SEAL																						
BOTTOM WEATHER SEAL																						
PVC Retainer																						
T-Slot/Vinyl Seal									**													
DECORATIVE WINDOW OPTIONS																						
WINDOW GLASS OPTIONS																						
3/32" (0.24cm) Single Strength																						
1/8" (0.32cm) Tempered 2X Strength																						
Insulated (Clear, Frost & Dark Tint)																						
Obscure																						
Frost																						
Dark Tint																						
DECORATIVE HARDWARE OPTIONS																						
EXTERIOR COLOR OPTIONS																						
True White (TW)																						
Almond (AL)																						
Wicker Tan (WK)																						
Sandstone (ST)																						
Terratone (TT)																						
Dark Brown (DN)																						
Charcoal Gray (CF)																						
Black (BL)																						
Golden Oak (OK)																						
Walnut (NT)																						
Mahogany (MY)																						
Weathered Gray (WZ)																						
Cedar (CEP)																						
Aspen Gray (AGP)																						
WIND LOAD ⁴ AVAILABLE																						
PAINT FINISH WARRANTY ⁵	12 years	12 years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 years	25 years	Lifetime	Lifetime	Lifetime	5 years	Lifetime	Lifetime	Lifetime	15 years	25 years	Lifetime	Lifetime
WORKMANSHIP/HARDWARE WTY ⁶	3 years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	1 Year	2 years	3 years	3 years	3 years	5 years	Lifetime	Lifetime	Lifetime	1 Year	2 years	3 years	3 years

¹ Insulation on Amarr brand doors has passed independent testing and meets or exceeds the R-value of the product. ² Calculated door section R-value. ³ In accordance with AIAA TDS-163. ⁴ Verified thermal performance per ASHRAE 90.1-2010. ⁵ Paint finish warranty is void if the door is repainted. ⁶ Workmanship warranty is void if the door is not installed according to the Amarr installation instructions. ⁷ For complete warranty details, visit amarr.com. ⁸ For complete warranty details, visit amarr.com. ⁹ For complete warranty details, visit [amarr.com. ¹⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ²⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ³⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁴⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁵⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁶⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁷⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁸⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ⁹⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁰⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹¹⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹²⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹³⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁴⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁵⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁶⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷⁴ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷⁵ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷⁶ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷⁷ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷⁸ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁷⁹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁸⁰ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁸¹ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁸² For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁸³ For complete warranty details, visit \[amarr.com\]\(http://amarr.com\). ¹⁸⁴ For complete warranty details, visit \[amarr\]\(http://amarr.com\)](http://amarr.com)



Amarr Classica Northampton design in True White with Thames window inserts



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products, such as Amarr by Design custom wood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling slat, and rolling steel doors.

Your Local Amarr Dealer:

Amarr Company
165 Carriage Court
Winston-Salem, NC 27105
800.503.DOOR
www.amarr.com



Amarr, Classica and Heritage as words and logos are trademarks belonging to Amarr Company, owned by ASSA ABLOY.

Door specifications and technical data subject to change without notice.

Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©ASSA ABLOY

Printed in USA Form #6451224/40M/SPR