

**eko
okna**

EXTERNAL DOOR CATALOG



CONTENTS

ABOUT COMPANY	04
----------------------	-----------

EXTERNAL DOORS	06
-----------------------	-----------

DOOR PANELS	08
PANEL FILLINGS	10
DOOR GLAZING	11
PATTERNS OF DOOR PANELS	14
GLASS PANELS	86
EMBOSSSED PANELS	96
PVC MODEL DOORS	108
DESPIRO ALUMINIUM PANELS	130
MASTERLINE 8 DESPIRO ALUMINIUM DOORS	152
MASTERLINE 8 PIVOT ALUMINIUM DOOR	154
STEEL DOOR	156
DOOR THRESHOLDS	160
DOOR ACCESSORIES	162
AVAILABLE COLOURS	168



About **company**

Eko-Okna S.A. is a manufacturer with an international reach, offering windows and doors made of PVC, wood, aluminium and steel. We have been on the market since 1998. Production takes place in halls with state-of-the-art automated production lines, supported by qualified and experienced staff. We focus on development and innovation. We were the first in Europe to introduce to mass sale windows made in the V-Perfect shape welding technology.

Our offer is constantly expanding. Already today we are able to offer you several dozen different window and door systems. We also offer sliding systems, roller shutters, sectional garage and industrial doors, mosquito nets, fences and pergolas. As an addition to windows and doors, we offer covers. We produce internal and external roller blinds, facade blinds and shutters.

Everything is of the best quality, because we use only high-quality materials from leading European suppliers.

Years of experience allow us to accurately predict demand and respond to customer needs. Striving for a fresh perspective on evolving trends enables us to craft products that precisely meet all market demands. Multi-million investments in machinery, experience and multilingual staff make our export strength grow year by year. We are successfully expanding into European and non-European markets.

The quality of our products and the actions we take have gained the recognition of customers around the world. So far, we have created a powerful sales network, which we are constantly expanding.



FRONT **DOOR**

We have prepared a wide range of designs to choose from. Modern technologies used during production guarantee high resistance to external conditions and easy cleaning. We also offer the possibility of making doors according to your own design, we suggest the best construction solutions.



Door panels

Doors from the Eco, Alu and Wood lines are the most popular, universal solutions, chosen by the largest group of customers. We offer a wide range of designs. We allow customers to create their own projects, which we then implement for them. The materials and production techniques used ensure durability and ease of cleaning. Glazing can be installed in the doors.




EkoLine

AluLine


WoodLine



Design without
INOX applications



Pattern with
INOX application



x, y - dimension of the pattern in inch



**Available colour
options:**

- Aluplast
- Salamander
- Gealan
- RAL
- Teknos



Panel fillings available:

- composite + XPS extruded polystyrene
- foam
- plywood + XPS extruded polystyrene



**Materials from which
the door can be made:**

- PVC
- Aluminium (ALU)
- Wood

Panel filling

We offer our customers panels with three types of filling - polyurethane foam, plywood or XPS extruded polystyrene. Each of them can be $15/16''$ (Panel 24), $1-7/16''$ (Panel 36), $1-7/8''$ (Panel 48) thick. Panels, depending on customer preferences and technical requirements, are made of HPL boards or aluminium sheet. HPL boards are veneered, sheet metal – varnished. On the other hand, in wooden doors, we offer panels with a thickness of $15/16''$ (Panel 24), $1-5/16''$ (Panel 34), $1-13/16''$ (Panel 46).

HPL - EkoLine
Aluminium - AluLine

Composite
XPS extruded polystyrene



$15/16''$
 $1-7/16''$
 $1-7/8''$

EkoLine
AluLine

HPL - EkoLine
Aluminium - AluLine

Foam



$15/16''$
 $1-7/16''$
 $1-7/8''$

EkoLine
AluLine

HPL - EkoLine
Aluminium - AluLine

Plywood
XPS extruded polystyrene



$15/16''$
 $1-7/16''$
 $1-7/8''$

EkoLine
AluLine

Veneered plywood
Foam



$15/16''$
 $1-5/16''$
 $1-13/16''$

WoodLine

Door **glazing**

As a standard, glazing in door panels is made of frosted glass. In panels with a thickness of 15/16", we use safety glass on the external side. In panels with a thickness of 1-7/16" and 1-7/8", the glazing is made of safety glass on both sides.

15/16" panel



external side (safety glass)
VSG 33.1 ONE MAT
Woodline - 4 ESG MAT
internal side 4 MAT glass

1-7/16" panel



external side (safety glass)
VSG 33.1 ONE MAT
internal side (safety glass)
VSG 33.1 MAT

1-7/8" panel



external side (safety glass)
VSG 33.1 ONE MAT
1/8" float glass
internal side (safety glass)
VSG 33.1 MAT


Safe **glass**


Safety glass is made by covering the glass with special polyvinyl butyral films. In case of glass breakage, the glass fragments remain attached to the film (VSG glass). Tempered safety glass is characterised by greater resistance to breakage and temperature changes (ESG glass). Broken glass of this type breaks into small pieces with blunt edges, which reduces the risk of injury.



Ornamental glazing

We offer a wide range of glass with a motif, made of transparent glass and ornamental glass in the most popular patterns. Ornamental glass will work in homes, offices, shops, hotels and restaurants. It provides privacy and brightens the interior.







Panel 01



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 02



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 03



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	68-7/8"	35-7/16"	84-5/8"
ALU:	22-7/16"	68-7/8"	43-5/16"	90-9/16"
WOOD:	22-7/16"	68-7/8"	33-1/16"	88-3/16"


Panel 04



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-1/4"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-1/4"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-1/4"	64-15/16"	33-1/16"	88-3/16"


Panel 05



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-1/4"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-1/4"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-1/4"	64-15/16"	33-1/16"	88-3/16"


Panel 06



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 07



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 08



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"

Panel 09



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 10



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 11



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 12



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 13



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 14



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 15



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 16



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 17



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 18



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 19



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	68-7/8"	35-7/16"	84-5/8"
ALU:	22-7/16"	68-7/8"	43-5/16"	90-9/16"
WOOD:	22-7/16"	68-7/8"	33-1/16"	88-3/16"


Panel 20



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	26"	64-15/16"	35-7/16"	84-5/8"
ALU:	26"	64-15/16"	43-5/16"	90-9/16"
WOOD:	26"	64-15/16"	33-1/16"	88-3/16"


Panel 21



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 22



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 23



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16	64-15/16"	33-1/16"	88-3/16"


Panel 24



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-1/4"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-1/4"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-1/4"	64-15/16"	33-1/16"	88-3/16"


Panel 25



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-15/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-15/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-15/16"	64-15/16"	33-1/16"	88-3/16"


Panel 26



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 27



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 28



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	16-1/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	16-1/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	16-1/8"	64-15/16"	33-1/16"	88-3/16"


Panel 29



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	16-1/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	16-1/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	16-1/8"	64-15/16"	33-1/16"	88-3/16"

Panel 30



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	16-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	16-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	16-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 31



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 32



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 33



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 34



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 35



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 36



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 37



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 38



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 39



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 40



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 41



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 42



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 43



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-13/16"	68-7/8"	35-7/16"	84-5/8"
ALU:	22-13/16"	68-7/8"	43-5/16"	90-9/16"
WOOD:	22-13/16"	68-7/8"	33-1/16"	88-3/16"


Panel 44



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"

Panel 45



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 46



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 47



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 48



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	25-3/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	25-3/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	25-3/16"	64-15/16"	33-1/16"	88-3/16"


Panel 49



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-1/4"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-1/4"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-1/4"	64-15/16"	33-1/16"	88-3/16"


Panel 50



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	17-11/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	17-11/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	17-11/16"	64-15/16"	33-1/16"	88-3/16"


Panel 51



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 52



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	24-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	24-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	24-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 53



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	25-3/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	25-3/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	25-3/16"	64-15/16"	33-1/16"	88-3/16"


Panel 54



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 55



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 56



Without INOX application




With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"

Panel 57



	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"

Panel 58




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"


Panel 59



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 60



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	15-3/4"	64-15/16"	35-7/16"	84-5/8"
ALU:	15-3/4"	64-15/16"	43-5/16"	90-9/16"
WOOD:	15-3/4"	64-15/16"	33-1/16"	88-3/16"

Panel 61



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	68-7/8"	35-7/16"	84-5/8"
ALU:	22-7/16"	68-7/8"	43-5/16"	90-9/16"
WOOD:	22-7/16"	68-7/8"	33-1/16"	88-3/16"

Panel 62



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	-	-	-	-

Panel 63



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	19-11/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	19-11/16"	64-15/16"	33-1/16"	88-3/16"

Panel 64



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	19-11/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	19-11/16"	64-15/16"	33-1/16"	88-3/16"

Panel 65



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 66



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 67



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"

Panel 68



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"

Panel 69



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"

Panel 70



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 71



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 72



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"

Panel 73



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"

Panel 74



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"


Panel 75



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"


Panel 76



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 77



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	24-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	24-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	24-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 78



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 79



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 80



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 81



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 82



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	24-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	24-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	24-13/16"	64-15/16"	33-1/16"	88-3/16"


Panel 83



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-1/4"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-1/4"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-1/4"	64-15/16"	33-1/16"	88-3/16"


Panel 84



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 85



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	16-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	16-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	16-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 86



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	24"	64-15/16"	35-7/16"	84-5/8"
ALU:	24"	64-15/16"	43-5/16"	90-9/16"
WOOD:	24"	64-15/16"	33-1/16"	88-3/16"


Panel 87



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 88



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 89



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 90



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	24"	64-15/16"	35-7/16"	84-5/8"
ALU:	24"	64-15/16"	43-5/16"	90-9/16"
WOOD:	24"	64-15/16"	33-1/16"	88-3/16"


Panel 91



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	24"	64-15/16"	35-7/16"	84-5/8"
ALU:	24"	64-15/16"	43-5/16"	90-9/16"
WOOD:	24"	64-15/16"	33-1/16"	88-3/16"


Panel 92



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"

Panel 93



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 94



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 95



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-15/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-15/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-15/16"	64-15/16"	33-1/16"	88-3/16"


Panel 96



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 97



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	25-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	25-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	25-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 98



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 99



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	-	-	33-1/16"	88-3/16"


Panel 100



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 101



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 102



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 103



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 104



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	15-3/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	15-3/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	15-3/8"	64-15/16"	33-1/16"	88-3/16"


Panel 105



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 106



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 107



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"


Panel 108



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"

Panel 109



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"


Panel 110



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"

Panel 111



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"

Panel 112



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	11-13/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	11-13/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	11-13/16"	64-15/16"	33-1/16"	88-3/16"


Panel 113



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	24-3/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	24-3/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	24-3/16"	64-15/16"	33-1/16"	88-3/16"


Panel 114



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 115



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 116



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 117



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 118



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-1/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-1/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-1/16"	64-15/16"	33-1/16"	88-3/16"


Panel 119



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 120



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 121



Without INOX application



With INOX application



Minimum panel size

width height

PVC:	14-9/16"	71-5/16"
ALU:	14-9/16"	71-5/16"
WOOD:	14-9/16"	71-5/16"

Maximum panel size


width height

35-7/16"	84-5/8"
43-5/16"	90-9/16"
33-1/16"	88-3/16"


Panel 122



Without INOX application



With INOX application



Minimum panel size

width height

PVC:	23-5/8"	64-15/16"
ALU:	23-5/8"	64-15/16"
WOOD:	23-5/8"	64-15/16"

Maximum panel size


width height

35-7/16"	84-5/8"
43-5/16"	90-9/16"
33-1/16"	88-3/16"


Panel 123



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 124



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 125



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	25-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	25-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	25-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 126



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 127



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 128



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 129



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"


Panel 130



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 131



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 132



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	22-7/16"	64-15/16"	33-1/16"	88-3/16"


Panel 133



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-1/4"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-1/4"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-1/4"	64-15/16"	33-1/16"	88-3/16"

Panel 134



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	-	-	-	-


Panel 135



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 136



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	14-9/16"	64-15/16"	33-1/16"	88-3/16"

Panel 137



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 138



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"


Panel 139



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"
ALU:	23-5/8"	64-15/16"	43-5/16"	90-9/16"
WOOD:	23-5/8"	64-15/16"	33-1/16"	88-3/16"

Panel 140



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	-	-	-	-

Panel 141



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	-	-	-	-


Panel 142



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	-	-	-	-

Panel 143



Without INOX application



With INOX application




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-9/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	14-9/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	-	-	-	-

Panel 144



Without INOX application



With INOX application



	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	22-7/16"	64-15/16"	35-7/16"	84-5/8"
ALU:	22-7/16"	64-15/16"	43-5/16"	90-9/16"
WOOD:	-	-	-	-

Glass panels

EkoVitre glass door panels are chosen by architects who care about using as much natural light as possible. This elegant door, suitable for any style, can be adapted to individual needs thanks to the large number of finishing options. This is a great solution for individual and institutional investors.



EkoVitre



Available colour options:

- Aluplast
- Salamander
- Gealan
- RAL
- Teknos



Materials from which the door can be made:

- PVC
- Aluminium (ALU)
- Wood



Panel fillings available:


- glazing unit (44.4cz. sandblasted / 18Ar/44.2th)



Panel 01



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 02



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 03



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 04



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 05



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 06



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 07



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 08



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 09



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 10



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 11



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 12



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 13



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 14



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"

Panel 15



Technical drawing



	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
ALU:	23-5/8"	66-15/16"	37-3/8"	86-5/8"
WOOD:	23-5/8"	66-15/16"	37-3/8"	86-5/8"



Embossed **panels**

ClassicLine is a combination of traditional aesthetics and modern materials, thanks to which the customer buys solid doors at an attractive price. The number of colour variants is impressive, and the resistance to external factors guarantees high comfort of use for years. Thanks to good performance parameters, they are an interesting proposition for investors who care about low maintenance costs.

Panels with a thickness of 1-7/16" and 1-7/8"

Panels made of MDF boards and XPS foam

Handle or handrail



ClassicLine



Materials from which
the door can be made:

- Wood
- PVC




Available colour
options:

- Aluplast
- Salamander
- Gealan
- RAL
- Teknos

Panel 01



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 02



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 03



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 04



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 05



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 06



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 07



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 08



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 09



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 10



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 11



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 12



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 13



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 14



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 15



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 16



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 18



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 19



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 20



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

Panel 21




Technical drawing



	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	68-7/8"	43-5/16"	90-9/16"

PVC model doors

We create model doors based on the most popular window and door systems in our offer. In this way, we guarantee perfect aesthetic consistency of the woodwork throughout the house. At the same time, we use solutions with the best performance parameters. The panels can adapt various glazing layouts and use the same colour schemes as windows.





Profiles from which the door can be made (Aluplast colours):

- Ideal 4000
- Ideal 5000
- Ideal 8000
- EkoSun 70




Profiles that can be used to make doors (Salamander colours):

- BluEvolution 92

Model 02



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 03



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 04



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 05



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 06



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 07



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 08



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 09



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 10



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 11



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 12



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 13



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 14



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 15



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 16



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 17



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 18



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 19



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 20



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 21



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 22



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 23



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 24



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 25



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 26



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 27



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 28



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 29



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 30



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 31



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 32



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 33



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 34



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 35



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 36



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 37



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 38



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 39



Technical drawing




	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"

Model 40



Technical drawing



	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	64-15/16"	35-7/16"	84-5/8"



Despiro **panels**

Extremely durable and elegant proposals. They add prestige to both new investments and renovated buildings. The technologically advanced filling ensures increased performance parameters and allows the door to be used in projects co-financed from ecological funds.



Despiro

* backlight with cold, warm or neutral white light or blue light



Materials from which
the door can be made:

- Aluminium (ALU)




Available colour options:

- RAL
- Decor (some models)

Panel **DP01**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP02**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	28-3/4"	74-13/16"	55-1/8"	102-3/8"

Panel **DP03**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	78-3/4"	55-1/8"	102-3/8"

Panel **DP04**



Technical drawing




- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-3/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP05**



Technical drawing




- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-3/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP06**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	28-3/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP07**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	29-1/2"	74-13/16"	55-1/8"	102-3/8"

Panel **DP08**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm spacer

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	78-3/4"	55-1/8"	102-3/8"

Panel **DP09**




Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	29-1/2"	74-13/16"	55-1/8"	102-3/8"

Panel **DP10**



Technical drawing




- Smooth panel without a pattern, flush on both sides

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	14-3/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP11**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	78-3/4"	55-1/8"	102-3/8"

Panel **DP12**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm spacer

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	29-1/2"	74-13/16"	55-1/8"	102-3/8"

Panel **DP13**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	28-3/8"	78-3/4"	55-1/8"	102-3/8"

Panel **DP14**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	78-3/4"	55-1/8"	102-3/8"

Panel **DP15**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	27-9/16"	78-3/4"	55-1/8"	102-3/8"

Panel **DP16**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	78-3/4"	55-1/8"	102-3/8"

Panel **DP17**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	29-1/2"	78-3/4"	55-1/8"	102-3/8"

Panel **DP18**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	29-1/2"	74-13/16"	55-1/8"	102-3/8"

Panel **DP19**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	19-11/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP20**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted,
- Rear glazing: thermofloat with a black warm spacer

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	29-1/2"	74-13/16"	55-1/8"	102-3/8"

Panel **DP21**




Technical drawing




- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	28-3/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP22**



Technical drawing




- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	25-9/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP23**



Technical drawing




- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	31-9/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP24**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	27-9/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP25**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	25-9/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP26**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	25-9/16"	74-13/16"	55-1/8"	102-3/8"

Panel **DP27**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- Grooved frame around the glazing

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	78-3/4"	55-1/8"	102-3/8"

Panel **DP28**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, with transparent stripes
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	21-5/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP29**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	21-5/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP30**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	21-5/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP31**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	31-9/16"	78-3/4"	55-1/8"	102-3/8"

Panel **DP32**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	21-5/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP33**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	21-5/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP34**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	29-1/2"	74-13/16"	55-1/8"	102-3/8"

Panel DP35



Technical drawing




- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	21-5/8"	78-3/4"	55-1/8"	102-3/8"

Panel DP36



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- Panel milling

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP37**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	23-5/8"	74-13/16"	55-1/8"	102-3/8"

Panel **DP38**



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm spacer
- INOX recessed application

	Minimum panel size		Maximum panel size	
	width	height	width	height
PVC:	25-9/16"	78-3/4"	55-1/8"	102-3/8"



MasterLine 8 Despiro aluminium doors

The elegance and minimalism of the MasterLine 8 Despiro aluminium doors allow them to fit in with modern architectural trends. They are universal and perfectly complement traditional arrangements. The doors are made of sheet metal with a high degree of stiffness. Thanks to it, you can create sheet metal structures up to 159-1/16" wide and 118-1/8" high. They are available in the constantly expanded range of Despiro door panels, including the option of recessed handrail. This element can be highlighted in white (cold, warm or neutral) or blue.



MASTERLINE 8

* maximum door height is 118-1/8" ;

** for selected designs of Despiro panels



Materials from which
the door can be made:

- Aluminium (ALU)



Available colour options:

- RAL
- Decor wood-like

MasterLine 8 Pivot aluminium door

The value of space is determined by the way it is used. Aluminium doors with pivot hinges can open inwards and outwards by shifting the axis of rotation. These versatile designs can extend from floor to ceiling. Pivot doors are designed especially for modern spaces where ergonomics is crucial. They will perfectly emphasize the avant-garde offices and present the smart character of the apartments.



MASTERLINE 8

* standard shift by 11-7/8", maximum by 23-5/8" (depending on the width of the door leaf)

** DP4, DP5, DP10, DP11, DP16, DP22, DP23, DP25, DP35 - ask the Sales Department for more options



Materials from which
the door can be made:

- Aluminium (ALU)



Available colour options:

- RAL
- Decor wood-like

Steel doors

Steel doors are made on the basis of profiles also used in windows systems. They combine original design and above-average durability. The filling in the form of XPS polystyrene foam or OSB board with increased strength is responsible for the insulation. Made of galvanised steel, the panels perfectly fit into the minimalist style of contemporary architecture.



1-3/8" thick panel

Panels made of galvanised sheet metal

Handle or handrail

Unico XS



Unico



Presto



Materials from which
the door can be made:

- Steel (STEEL)



Available colour
options:

- RAL



Panel fillings available:

- foam
- OSB board

Alternative fillings for **steel doors**

In addition to standard fillings, alternative options are also available for steel doors, characterised by various technical parameters and aesthetics.



Garage door panels

The panel used in the garage door was integrated into the door. They are durable and easy to maintain and guarantee good thermal insulation. Choosing consistent aesthetics for the garage door and the external door grants elegance to the whole building.

Garage door panels can be used with Presto and Unico profiles.



Aluline panels

The filling in the form of Aluline panels allows you to choose from a rich catalogue of popular solutions, and even create your own project. Durable aluminium is an elegant choice for years that is easy to match with any building style.

Aluline panels can be used with Presto, Unico and Unico XS profiles.



EkoVitre panels


EkoVitre glass panels in steel doors are effective and universal thanks to the wide range of available designs. It is possible to prepare your own proposal. This extremely fashionable, safe option allows you to use natural light wisely and create original arrangements at the same time.

Eko-Vitre panels can be used with Presto, Unico and Unico XS profiles.



Warm threshold

We offer the installation of a warm threshold in two variants. The customer can choose to install it with insulation material or on a PVC system extension. In both cases, the user will gain proper thermal insulation below the floor. This solution prevents the formation of thermal bridges, thanks to which cool air does not get inside the room.



Threshold-free external door

They are distinguished by a double magnetic gasket in a flat threshold and levelling with the floor level up to 1-3/16". Thanks to these features, the barrier between the apartment and the terrace is almost non-existent. Children, the elderly and people with disabilities enjoy the comfort of moving around the house without obstacles. The harmony of the living room with nature and the surroundings allows you to enjoy the charms of warm days.



Door **accessories**

Accessories for the offered doors are not only a wide selection of handles and handrails in various shapes and colours. In addition to them, there are also additional technological solutions for hinges or espagnolette, as well as letterboxes or peepholes or devices controlling access to the building. The catalogue presents basic door accessories, the full offer is available in the sales department.



DOOR HINGES



Standard hinges



Roller hinges



Concealed hinges

DOOR LOCKS



Available espagnolettes: 3-point, 5-point, 4 rollers, hook and automatic

MOTOR FOR DOOR LOCKS



Available models allow for automatic locking of selected door locks.

DOOR CLOSERS



An accessory for doors that allows them to close automatically. Also available with the option of stopping in chosen position.

ACCESS CONTROL DEVICES



Available access control elements using RFID, keypad or fingerprints.

PEEP HOLE



Peep hole with a diameter of 9/16", satin chrome finish. Available for filling from 9/16" to 3 - 3/8".

MAIL SLOTS



Available in several colors with the possibility of mounting in a panel or post.



HANDLE **VICTORY**



HANDLE **NEW YORK**



HANDLE **GREENTEQ**



HANDLE **PLUTON**



HANDLE **JOWISZ**



PULL-HANDLE **PLUTON**



HANDLE **H6**



HANDLE **DG59**



HANDLE **35A/1200**



Availability of a given model and color depends on the selected type of door.

HANDRAIL **M1**



HANDRAIL **M2**



HANDRAIL **P GREENTEQ**



KNOB **FKS 1080**



HANDRAIL
P45



HANDRAIL
P45B



HANDRAIL
P10



HANDRAIL
P8



HANDRAIL
P5



HANDRAIL
P1



Availability of a given model and color depends on the selected type of door.

SERIES
DP30



SERIES
DP40



SERIES
DP50



SERIES
DP60



SERIES
DP70



SERIES
DP80



RECESSED HANDRAIL **KA1A**

BLACK



INOX



LED*
WARM WHITE



LED*
NEUTRAL WHITE



LED*
COLD WHITE



LED*
BLUE




* Available only in Despiro and MasterLine 8 Despiro doors

Available colours


Exterior doors are more and more often a decorative element of both the entire building and the interior.

- Aluminum products can be covered with powder paint with different styles of structure. Special paint can be used to create DECOR wooden patterns.
- Steel products look great in their natural form and can be painted in all colours from the RAL palette.
- Wooden doors can be varnished. Huge decorative possibilities are also offered by the choice of many types of wood.
- The basic way to decorate PVC is the selection of the colour and structure of the veneer. We have a wide range of colours for smooth and wood-like veneers, as well as profiles with a satin surface made in the acrylcolour technology.







Aluplast colour palette




AP 01




AP 02



AP 05




AP 06




AP 11



AP 15




AP 19




AP 20



AP 21




AP 22




AP 23




AP 25



AP 27



AP 28



AP 29



AP 30



AP 32



AP 34



AP 40



AP 41




AP 43




AP 44




AP 47



AP 50



AP 52



AP 60



AP 61



AP 62



AP 63



AP 65




AP 70



AP 71



AP 72




AP 75




AP 79



AP 88



AP 94




AP 95



AP 102




AP 103



AP 104




AP 105




AP 106




AP 107




AP 108



AP 109



AP 110




AP 111




AP 112



AP 113



AP 115




AP 116

Salamander colour palette



Gealan colour palette



GEA 01



GEA 02



GEA 03



GEA 04



GEA 07




GEA 08



GEA 09




GEA 11



GEA 12



GEA 13



GEA 16



GEA 17



GEA 19




GEA 20




GEA 21



GEA 22



GEA 23



GEA 24



GEA 25



GEA 27



GEA 28




GEA 30



GEA 31



GEA 32



GEA 34



GEA 35




GEA 37



GEA 40




GEA 41



GEA 42




GEA 43




GEA 46


Gealan Acrylcolor colours



DB 703



RAL 7015




RAL 7016




RAL 7039



RAL 7040




RAL 8014



RAL 35-7/165




RAL 9016




SILVER


Aluprof Decor colours




ADEC B108



ADEC C110




ADEC D101




ADEC D207




ADEC J107




ADEC M103




ADEC M204




ADEC O102




ADEC O205



ADEC S106



ADEC W109









ADEC W205






RAL colour palette


















ALUMINIUM | STEEL | WOOD

						
RAL 1013	RAL 1037	RAL 2002	RAL 2013	RAL 11-13/161	RAL 11-13/164	RAL 23-5/85
						
RAL 7005	RAL 7008	RAL 7016	RAL 7047	RAL 8000	RAL 8015	RAL 8019
					Sample colours. Choice from the entire RAL palette.	
RAL 8022	RAL 35-7/163	RAL 35-7/165	RAL 9016	DB 703		

DECOR aluminium colours

					Also available in other versions imitating wood.
Golden Oak	Nut	Mahogany	Sapela mahogany	Vein nut	

Wood colour palette

SPRUCE	OAK	MERANTI	PINE	
				1. STONE PINE
				2. OLD PINE
				3. CYPRESS
				4. IROKO
				5. CHESTNUT
				6. IDIGBO
				7. SAPELLI
				8. OAK





* varnish colour may vary
depending on the type of wood

SPRUCE	OAK	MERANTI	PINE	
				9. MAHOAGANY
				10. CALVADOS
				11. WALNUT
				12. KEMPAS
				13. ASSAMELA
				14. CHERRY TREE
				15. WENGE
				16. ACAJOU





The publication does not constitute a commercial offer. It is not the basis for making a complaint.
The images presented are illustrative graphics, not actual photos of the products.

1/2023



Eko-Okna S.A.

ul. Spacerowa 4

47-480 Kornice

www.ekookna.com